

Division of Surface Water
Application for Authorization: Class B Beneficial Use Sites

Applicable isolation distances:

Type of Isolation Distance			
Surface waters of the state	<input checked="" type="checkbox"/>	Sinkhole/UIC class V drainage	<input type="checkbox"/>
Occupied building	<input checked="" type="checkbox"/>	Private potable water source	<input type="checkbox"/>
Medical care facility	<input type="checkbox"/>		

Are any endangered species or endangered species habitats located on the beneficial use site?

☐ Yes ☒ No

If "Yes" is marked, list the types of endangered species or endangered species habitat:

--	--

Have biosolids been beneficially used on the site since July 20, 1993?

☐ Yes ☒ No

If "Yes" is marked, list the biosolids generators and years beneficial use occurred:

Generator	NPDES permit No.	Year of Beneficial Use

The application must also include all of the following:

- A soil map of the proposed beneficial use site.
- A frequency flood class map of the proposed beneficial use site.
- An aerial map of the proposed beneficial use site that clearly identifies the entrance of the beneficial use site from the nearest road and all applicable isolation distances as established in Chapter 3745-40 of the Ohio Administrative Code.
- A vicinity road map at or near the township level that clearly identifies the proposed beneficial use site with all roads labeled.
- A copy of the most recent soil test results identified in this form.